


Cockatoos and Parrots in Australia are hollow - dependent, old-growth forest and dead trees, usually make nests in gum trees. Hollows in trees can take over 100 years to get big enough for cockatoos to nest in.

Food

Cockatoos seed, grain, borers.

Parrots grain, seed, berries

Lorikeets grain, seed, berries & Nectar.



© QLD Government

Glenwild brochures are a list of all wildlife species known to live or visit Glenwood and surrounding areas including Forestry. Information provided is a general overview of habitat, food, and breeding seasons. All photographs were taken by local wildlife watchers and kindly shared. Photographs were the best available at the time 2023/2025 Contributors have adhered to Birdlife Australia's "Ethical Birding Guidelines" (2012)

Acknowledgement

Wayne Reinke, Adrian Moore, Marsden Allen

© Glenwild 2024



Cockatoos & Parrots

A Pocket Guide of Cockatoos & Parrots found in Glenwood and surrounding areas.





Red-tailed Black-cockatoo
Calyptorhynchus banksii
55-65cm



Yellow-tailed Black-cockatoo
Zanda funerea
55-65cm




Tuan Forest

Habitat

Rainforest, Wet Sclerophyll forests, lowland eucalypt forests, woodlands, grassy understorey and access to water courses. (Glossy Black-cockatoo live in mainly woodlands dominated by Allocasuarina)



Rainbow Lorikeet
Trichoglossus moluccanus
25-35cm



Pale-headed Rosella
Platycercus adscitus palliceps
25-35cm



Little Corella
Cacatua sanguinea
35-42cm



Galah
Eolophus roseicapilla
35-40cm



Scaly-breasted Lorikeet
Trichoglossus chlorolepidotus
20-35cm



Australian king-parrot
Alisterus scapularis
40-45cm



Glossy Black-cockatoo
Calyptorhynchus lathami latham
Vulnerable
45-60cm



Sulphur-crested Cockatoo
Cacatua galerita
43-53cm



Little lorikeet
Parvipsitta pusilla
15-20cm

Musk Lorikeet
Trichoglossus concinnus
20-23cm

Seen in Area no Photo

Cockatoos & Parrots



Red-tailed Black-cockatoo
Calyptorhynchus banksii
55-65cm



Yellow-tailed Black-cockatoo
Zanda funerea
55-65cm



Taan Forest

Cockatoos and Parrots in Australia are hollow - dependent, old-growth forest and dead trees, usually make nests in gum trees. Hollows in trees can take over 100 years to get big enough for cockatoos to nest in.



Rainbow Lorikeet
Trichoglossus moluccanus
25-35cm



Pale-headed Rosella
Platyercus adscitus palliceps
25-35cm



Little Corella
Cacatua sanguinea
35-42cm



Galah
Eolophus roseicapilla
35-40cm



Scaly-breasted Lorikeet
Trichoglossus chlorolepidotus
20-35cm



Australian King-parrot
Alisterus scapularis
40-45cm



Glossy Black-cockatoo
Calyptorhynchus lathami lathamii
Vulnerable
45-60cm



Sulphur-crested Cockatoo
Cacatua galerita
43-53cm



Little lorikeet
Parvipsitta pusilla
15-20cm

Seen in Area no Photo

Musk Lorikeet
Trichoglossus concinnus
20-23cm