


Ground birds rely on dense understory vegetation as they can be found foraging close to the ground

Magpies, Crows & Butcherbirds.

Varying degrees of black and white markings and strong, voices. Magpies good memory for recognising faces.



Glenwild brochures are a list of all wildlife species known to live or visit Glenwood and surrounding areas including Forestry. Information provided is a general overview of habitat, food, and breeding seasons. All photographs were taken by local wildlife watchers and kindly shared. Photographs were the best available at the time 2023/2025 Contributors have adhered to Birdlife Australia's "Ethical Birding Guidelines" (2012)

Acknowledgement
Wayne Reinke, Adrian Moore, Marsden Allen

© Glenwild 2024



Ground, Group & Magpies Birds

A Pocket Guide of Magpies, Ground and Group Birds found in Glenwood and surrounding area including Forestry.





Eastern Whipbird
Psophodes olivaceus
20-23cm



Brown Quail
Synoicus ypsilophorus
15-25cm



Emu
Dromaius novaehollandiae
1.5-2m



Pied currawong
Strepera graculina
30-40cm



White-winged chough
Corcorax melanorhamphos
40-50cm



Grey-crowned babbler
Pomatostomus temporalis
25-30cm



Painted Button-quail
Turnix varius
15-25cm



Bush Stone-curlew
Burhinus grallarius
55-60cm

Habitat
*Woodland, Gardens, Waterway vegetation.
Ground birds also like dense grassland,
shrubs, leaf litter & understory vegetation.*



Torresian crow
Corvus orru
45-55cm




Pied Butcherbird
Cracticus nigrogularis
33-36cm



Australian Brush-turkey
Alectura lathami
60-70cm



Australian Bustard
Ardeotis australis



Australian Magpie
Gymnorhina tibicen
25-45cm



Grey Butcherbird
Cracticus torquatus
23-30cm

Diet
*Most Ground & Family Group Birds eat grain,
seeds, insect and spiders. Magpies & Crows
also eat small mammals, amphibians, other
birds.*

Seen in Area No Photo

Black-breasted button-quail
Turnix melanogaster
Vulnerable
17-19 cm

Ground, Group and Magpies Birds



Eastern Whipbird
Psophodes olivaceus
20-25cm



Brown Quail
Synoicus ypsilophorus
15-25cm



Emu
Dromaius novaehollandiae
1.5-2m



Pied currawong
Strepera graculina
30-40cm



White-winged chough
Corcorax melanorhamphos
40-50cm



Grey-crowned babbler
Pomatostomus temporalis
25-30cm



Painted Button-quail
Turnix varius
15-25cm



Bush Stone-curlew
Burhinus grallarius
55-60cm

Ground birds rely on dense understory vegetation as they can be found foraging close to the ground

*Magpies, Crows & Butcherbirds.
Varying degrees of black and white markings and strong, voices. Magpies good memory for recognising faces.*



Torresian crow
Corvus orru
45-55cm



Pied Butcherbird
Cracticus nigrogularis
33-36cm




Australian Brush-turkey
Alectura lathami
60-70cm



Australian Bustard
Ardeotis australia



Seen in Area No Photo
Black-breasted button-quail
Turnix melanogaster
Vulnerable
17-19 cm



Australian Magpie
Gymnorhina tibicen
25-45cm



Grey Butcherbird
Cracticus torquatus
23-30cm