


Cuckoo-shrikes are not relation to cuckoos or shrikes, but are so called due to their plumage resembling cuckoos and the bill that looks like the bill of shrikes.

Most Cuckoos lay their eggs in other species nests, letting host parents rear chicks.



Glenwild brochures are a list of all wildlife species known to live or visit Glenwood and surrounding areas including Forestry. Information provided is a general overview of habitat, food, and breeding seasons. All photographs were taken by local wildlife watchers and kindly shared. Photographs were the best available at the time 2023/2025 Contributors have adhered to Birdlife Australia's "Ethical Birding Guidelines" (2012)

Acknowledgement

Wayne Reinke, Adrian Moore, Marsden Allan

© Glenwild 2024




Cuckoos & Cuckoo-Shrikes

A Pocket Guide of Cuckoos & Cuckoo-Shrikes found in Glenwood and surrounding area including Forestry.



© Wayne Reinke





fan-tailed cuckoo
Cacomantis flabelliformis
20-30cm



shining bronze-cuckoo
Chalcites lucidus
12-25cm



© Wayne Reinke



Black-faced Cuckoo-shrike
Coracina novaehollandiae
30-45cm



White-bellied Cuckoo-shrike
Coracina papuensis
26-28cm



little bronze-cuckoo
Chalcites minutillus
14-15cm



channel-billed cuckoo
Scythrops novaehollandiae
50-65cm

Habitat
*Woodland, Forest, Rainfores,
waterway vegetation &
Swamp*



Cicadabird
Edolisoma tenuirostre
24-26cm



Varied Triller
Lalage leucomela
18-20cm



Eastern Koel
Eudynamys orientalis
25-45cm



pheasant coucal
Centropus phasianinus
45-70cm



Food
*Insects, spiders. Cuckoo-
shrikes insects, spiders
berries & fruit. Koel berries/
fruit.*

Cuckoos & Cuckoo-Shrikes



fan-tailed cuckoo
Cacomantis flabelliformis
20-30cm



shining bronze-cuckoo
Chalcites lucidus
12-25cm



Black-faced Cuckoo-shrike
Coracina novaehollandiae
30-45cm



White-bellied Cuckoo-shrike
Coracina papuensis
26-28cm



little bronze-cuckoo
Chalcites minutillus
14-15cm



channel-billed cuckoo
Scythrops novaehollandiae
50-65cm



Cicadabird
Edolisoma tenuirostre
24-26cm



Varied Triller
Lalage leucomela
18-20cm



Eastern Koel
Eudynamys orientalis
25-45cm



pheasant coucal
Centropus phasianinus
45-70cm



Cuckoo-shrikes are not related to cuckoos or shrikes, but are so called due to their plumage resembling cuckoos and the bill that looks like the bill of shrikes.

Most Cuckoos lay their eggs in other species nests, letting host parents rear chicks.