


*Ground birds rely on dense understory vegetation as they can be found foraging close to the ground*

*Magpies, Crows & Butcherbirds.*

*Varying degrees of black and white markings and strong, voices. Magpies good memory for recognising faces.*



Glenwild brochures are a list of all wildlife species known to live or visit Glenwood and surrounding areas including Forestry. Information provided is a general overview of habitat, food, and breeding seasons. All photographs were taken by local wildlife watchers and kindly shared. Photographs were the best available at the time 2023/2025 Contributors have adhered to Birdlife Australia's "Ethical Birding Guidelines" (2012)

Acknowledgement

Wayne Reinke, Adrian Moore, Marsden Allen

© Glenwild 2024



## Ground, Group & Magpies Birds

*A Pocket Guide of Magpies, Ground and Group Birds found in Glenwood and surrounding area including Forestry.*



© Wayne Reinke



© Wayne Reinke



Eastern Whipbird  
*Psophodes olivaceus*  
20-23cm



Brown Quail  
*Synoicus ypsilophorus*  
15-25cm




Emu  
*Dromaius novaehollandiae*  
1.5-2m



Pied currawong  
*Strepera graculina*  
30-40cm



White-winged chough  
*Corcorax melanorhamphos*  
40-50cm



Grey-crowned babbler  
*Pomatostomus temporalis*  
25-30cm




Painted Button-quail  
*Turnix varius*  
15-25cm



Bush Stone-curlew  
*Burhinus grallarius*  
55-60cm


**Habitat**  
*Woodland, Gardens, Waterway vegetation.  
Ground birds also like dense grassland,  
shrubs, leaf litter & understory vegetation.*



Torresian crow  
*Corvus orru*  
45-55cm



Pied Butcherbird  
*Cracticus nigrogularis*  
33-36cm



Australian Brush-turkey  
*Alectura lathami*  
60-70cm



Australian Bustard  
*Ardeotis australis*



Australian Magpie  
*Gymnorhina tibicen*  
25-45cm



Grey Butcherbird  
*Cracticus torquatus*  
23-30cm

**Diet**  
*Most Ground & Family Group Birds eat grain,  
seeds, insect and spiders. Magpies & Crows  
also eat small mammals, amphibians, other  
birds.*

Seen in Area No Photo

Black-breasted button-quail  
*Turnix melanogaster*  
Vulnerable  
17-19 cm

# Ground, Group and Magpies Birds



Eastern Whipbird  
*Psophodes olivaceus*  
20-25cm



Brown Quail  
*Synoicus ypsilophorus*  
15-25cm



Emu  
*Dromaius novaehollandiae*  
1.5-2m



Pied currawong  
*Strepera graculina*  
30-40cm



White-winged chough  
*Corcorax melanorhamphos*  
40-50cm



Grey-crowned babbler  
*Pomatostomus temporalis*  
25-30cm




Painted Button-quail  
*Turnix varius*  
15-25cm



Bush Stone-curlew  
*Burhinus grallarius*  
55-60cm

*Ground birds rely on dense understory vegetation as they can be found foraging close to the ground*


*Magpies, Crows & Butcherbirds.  
Varying degrees of black and white markings and strong, voices. Magpies good memory for recognising faces.*



Torresian crow  
*Corvus orru*  
45-55cm



Pied Butcherbird  
*Cracticus nigrogularis*  
33-36cm



Australian Brush-turkey  
*Alectura lathami*  
60-70cm



Australian Bustard  
*Ardeotis australia*



Seen in Area No Photo  
Black-breasted button-quail  
*Turnix melanogaster*  
Vulnerable  
17-19 cm



Australian Magpie  
*Gymnorhina tibicen*  
25-45cm



Grey Butcherbird  
*Cracticus torquatus*  
23-30cm