



Habitat

Birds of the Wetlands – land covered by water all year. Wetland birds are adapted to life in swaps, billabongs, lagoons, lakes, floodplains, saltmarshes and mudflats.

Birds move between wetlands for feeding and breeding



Glenwild brochures are a list of all wildlife species known to live or visit Glenwood and surrounding areas including Forestry. Information provided is a general overview of habitat, food, and breeding seasons. All photographs were taken by local wildlife watchers and kindly shared. Photographs were the best available at the time 2023/2025 Contributors have adhered to Birdlife Australia's "Ethical Birding Guidelines" (2012)

Acknowledgement
Wayne Reinke, Adrian Moore

© Glenwild 2024



Birds of Wetlands

A Pocket Guide of Birds of Wetlands found in Glenwood and surrounding area including Forestry.





Plumed Egret
Ardea plumifera
55-70cm



White-faced Heron
Egretta novaehollandiae
60-70cm




Dusky Moorhen
Gallinula tenebro
34-38cm



Eurasian / Australasian Coot
Fulica atra (ssp. *australis*)
32-40cm




Australian White Ibis
Threskiornis moluoca
65-76cm



Comb-crested Jacana
Irediparra gallinacea
20-27cm



Glossy Ibis
Plegadis falcinellus
45-61cm



Australasian Swamphen
Porphyrio porphyrio
44-48cm



Royal Spoonbill
Platalea regia
74-81



Straw-necked Ibis
Threskiornis spinicollis
59-76cm



Eastern Cattle Egrete
Ardea coromanda
48-53cm



Masked Lapwing
Vanellus miles
33-40cm



White-necked Heron
Ardea pacifica
75-106cm



Yellow-billed Spoonbill
Platalea flavipes
75-91cm



White-headed Stilt
Himantopus leucocephalus
45-60cm



Brolga
Antigone rubicunda
100-130cm



Black-necked Stork (Jabiru)
Ephippiorhynchus asiaticus
100-137cm



Eastern Great Egret
Ardea alba
70-105cm




Fly over Birds
Eastern Reef Egret
Egretta sacra



GlenWild

Buff-banded Rail
Gallirallus philippensis
22-33cm



© Marsden Allan

Food

Fish, crustaceans, insects, spiders, molluscs, snails, amphibians

Birds of Wetlands

Birds move between wetlands for feeding and breeding



Plumed Egret
Ardea plumifera
55-70cm



White-faced Heron
Egretta novaehollandiae
60-70cm




Dusky Moorhen
Gallinula tenebro
34-38cm




Eurasian / Australasian Coot
Fulica atra (ssp. *australis*)
32-40cm



Australian White Ibis
Threskiornis molucca
65-76cm



Comb-crested Jacana
Irediparra gallinacea
20-27cm



Glossy Ibis
Plegadis falcinellus
45-61cm



Purple swamphen / Australasian Swamphen
Porphyrio porphyrio
44-48cm



Royal Spoonbill
Platalea regia
74-81



Straw-necked Ibis
Threskiornis spinicollis
59-76cm



Eastern Cattle Egrete
Bubulcus coromandus
48-53cm



Masked Lapwing
Vanellus miles
33-40cm



White-necked Heron
Ardea pacifica
75-106cm



Yellow-billed Spoonbill
Platalea flavipes
75-91cm



White-headed Stilt
Himantopus leucocephalus
45-60cm




Brolga
Grus rubicunda
100-130cm




Black-necked Stork (Jabiru)
Ephippiorhynchus asiaticus
100-137cm



Eastern Great Egret
Ardea alba
70-105cm



Fly over Birds
Eastern Reef Egret
Egretta sacra



Buff-banded Rail
Gallirallus philippensis
22-33cm